

ACSC/STAT 3720, Life Contingencies I
 Winter 2015
 Toby Kenney
 Homework Sheet 2
 Due: Friday 30th January: 10:30 PM

Basic Questions

1. Using the select lifetable in Table 1, calculate:
 - (a) the probability that an individual aged 36 who was select 1 year ago dies within the next 8 years.
 - (b) the probability that an individual aged 42 who was select 6 years ago dies within the next 4 years.
 - (c) the probability that an individual aged 33 who is select survives to age 65.
 - (d) ${}_3|_6q_{[35]+2}$
2. Using the select lifetable in Table 1, calculate the expected curtate future lifetime for
 - (a) a select individual aged 65
 - (b) an individual aged 65 in the ultimate part of the model.

3. Using the ultimate mortality model

$$\mu_x = 0.000077 + 0.0000078 \times 1.099^x$$

and select mortality

$$\mu_{[x+s]} = 0.85^{2-s} \mu_{x+s}$$

calculate a select life table between ages 54 and 59 using radix 10,000. [You may use the approximation $q_{[x]+t} = \mu_{[x+0.5]+t}$.]

4. The lifetable in Table 1 applied 5 years ago. The following is an excerpt from the ultimate part of an updated lifetable:

x	l_x	d_x
39	10000.00	4.22
40	9995.78	4.68
41	9991.10	5.06
42	9986.04	5.52
43	9980.52	5.99

Calculate the reduction factor used for each age between 39 and 43.

Standard Questions

5. An insurance policy is considering a new term insurance policy where individuals have the opportunity to renew their select status after 3 years of the policy and every 3 years thereafter. The appropriate lifetable is Table 1. The company finds that a select individual aged 38 has

Table 1: Select lifetable to be used for questions on this assignment

x	$l_{[x]}$	$l_{[x]+1}$	$l_{[x]+2}$	$l_{[x]+3}$	x	$l_{[x]}$	$l_{[x]+1}$	$l_{[x]+2}$	$l_{[x]+3}$
25	9998.75	9997.65	9996.30	9994.66	74	8987.73	8932.10	8862.49	8775.52
26	9997.00	9995.83	9994.40	9992.66	75	8897.04	8836.71	8761.27	8667.10
27	9995.14	9993.90	9992.38	9990.52	76	8798.69	8733.34	8651.66	8549.78
28	9993.16	9991.84	9990.22	9988.24	77	8692.13	8621.41	8533.09	8423.00
29	9991.05	9989.65	9987.92	9985.80	78	8576.81	8500.36	8404.95	8286.16
30	9988.81	9987.30	9985.46	9983.18	79	8452.13	8369.60	8266.68	8138.66
31	9986.40	9984.80	9982.82	9980.38	80	8317.52	8228.53	8117.67	7979.93
32	9983.83	9982.11	9979.99	9977.37	81	8172.36	8076.57	7957.35	7809.41
33	9981.07	9979.23	9976.95	9974.13	82	8016.08	7913.13	7785.15	7626.56
34	9978.11	9976.13	9973.68	9970.64	83	7848.11	7737.67	7600.54	7430.89
35	9974.93	9972.79	9970.16	9966.88	84	7667.89	7549.66	7403.05	7221.99
36	9971.50	9969.20	9966.36	9962.82	85	7474.92	7348.64	7192.27	6999.51
37	9967.80	9965.33	9962.25	9958.44	86	7268.77	7134.21	6967.86	6763.22
38	9963.81	9961.14	9957.82	9953.69	87	7049.07	6906.07	6729.62	6513.04
39	9959.50	9956.61	9953.02	9948.55	88	6815.55	6664.05	6477.46	6249.02
40	9954.84	9951.71	9947.82	9942.98	89	6568.09	6408.10	6211.48	5971.42
41	9949.79	9946.41	9942.19	9936.94	90	6306.70	6138.35	5931.96	5680.73
42	9944.32	9940.66	9936.08	9930.38	91	6031.59	5855.15	5639.41	5377.67
43	9938.39	9934.41	9929.45	9923.26	92	5743.19	5559.08	5334.61	5063.27
44	9931.96	9927.64	9922.25	9915.52	93	5442.15	5250.97	5018.61	4738.86
45	9924.97	9920.28	9914.42	9907.10	94	5129.44	4931.97	4692.79	4406.12
46	9917.37	9912.28	9905.91	9897.94	95	4806.33	4603.54	4358.89	4067.08
47	9909.11	9903.58	9896.65	9887.98	96	4474.39	4267.51	4018.96	3724.10
48	9900.13	9894.11	9886.57	9877.13	97	4135.60	3926.04	3675.44	3379.91
49	9890.36	9883.80	9875.59	9865.30	98	3792.25	3581.66	3331.11	3037.57
50	9879.71	9872.57	9863.63	9852.42	99	3447.02	3237.23	2989.05	2700.39
51	9868.12	9860.34	9850.59	9838.38	100	3102.90	2895.94	2652.63	2371.88
52	9855.48	9847.01	9836.39	9823.08	101	2763.19	2561.21	2325.37	2055.64
53	9841.72	9832.48	9820.90	9806.39	102	2431.39	2236.61	2010.90	1755.27
54	9826.71	9816.64	9804.02	9788.18	103	2111.15	1925.80	1712.81	1474.18
55	9810.34	9799.37	9785.60	9768.33	104	1806.12	1632.34	1434.48	1215.44
56	9792.49	9780.52	9765.51	9746.67	105	1519.82	1359.55	1178.94	981.65
57	9773.03	9759.97	9743.60	9723.05	106	1255.46	1110.36	948.70	774.71
58	9751.79	9737.56	9719.69	9697.28	107	1015.81	887.14	745.58	595.71
59	9728.63	9713.10	9693.62	9669.17	108	802.96	691.49	570.56	444.87
60	9703.36	9686.43	9665.17	9638.51	109	618.23	524.17	423.71	321.41
61	9675.80	9657.33	9634.15	9605.07	110	462.04	385.00	304.13	223.65
62	9645.73	9625.59	9600.31	9568.61	111	333.80	272.80	210.00	149.10
63	9612.94	9590.98	9563.42	9528.85	112	231.99	185.53	138.71	94.62
64	9577.18	9553.24	9523.19	9485.52	113	154.19	120.34	87.07	56.74
65	9538.19	9512.09	9479.35	9438.30	114	97.30	73.90	51.50	31.84
66	9495.69	9467.25	9431.58	9386.86	115	57.78	42.55	28.41	16.52
67	9449.37	9418.39	9379.54	9330.85	116	31.92	22.69	14.43	7.81
68	9398.90	9365.17	9322.87	9269.88	117	16.15	11.04	6.63	3.30
69	9343.95	9307.23	9261.20	9203.55	118	7.34	4.79	2.69	1.21
70	9284.12	9244.18	9194.11	9131.43	119	2.90	1.79	0.93	0.37
71	9219.03	9175.59	9121.17	9053.07	120	0.95	0.55	0.26	0.09
72	9148.24	9101.03	9041.91	8967.97	121	0.23	0.13	0.05	0.01
73	9071.30	9020.03	8955.85	8875.63	122	0.03	0.02	0.01	0.00

a probability 0.93 of being alive and select again 3 years later. What is the probability that an individual who is alive but not select again 3 years later (at age 41) survives to the end of the 10-year term (i.e. at age 48)?

6. An insurance company has used Makeham's formula with a constant factor to discount for selected lives — that is $\mu_{[x]+s} = D^{3-s} \mu_{x+s}$ to construct a lifetable for female smokers. The lifetable is given below.

x	$l_{[x]}$	$l_{[x]+1}$	$l_{[x]+2}$	$l_{[x]+3}$
40	9946.06	9927.38	9899.70	9858.68
41	9897.42	9876.17	9844.66	9798.00
42	9842.05	9817.87	9782.05	9729.00
43	9779.05	9751.57	9710.85	9650.58
44	9707.41	9676.19	9629.95	9561.53
45	9626.00	9590.58	9538.11	9460.53

Find the parameters used in the model to produce the table. [It was constructed using the approximation $q_{[x]+s} = \mu_{[x+0.5]+s}$.]