ACSC/STAT 4703, Actuarial Models II
Further Probability with Applications to Actuarial
Science
FALL 2022
Toby Kenney
In Class Examples

# Advantages of Modelling Number of Losses and Severities Separately

- Dealing with changes to exposure (e.g. number of policies)
- Dealing with inflation
- Dealing with changes to individual policies
- Understanding the impact of changing deductibles on claim frequencies.
- Combining data with a range of different deductibles and limits can give a better picture of the loss distribution.
- Consistency between models of non-covered losses to insureds, claims to insurers, and claims to reinsurers.
- The effect of the shapes of separate distributions of number and severity give an indicator of how each influences the overall aggregate loss.

## **Model Choices**

#### **Practical Considerations**

- Scale parameters for severity allow for change of currency or inflation.
- For frequency, models with pgf  $P(z; \alpha) = Q(z)^{\alpha}$  can deal with changes to number of policies sold, or time period.
- Modification at zero prevents infinite divisibility. However, modification at zero may still be appropriate.

## 9.2 Model Choices

### Question 1

Which discrete distributions satisfy

$$P(z; \alpha) = Q(z)^{\alpha}$$

for some parameter  $\alpha$ ?

## Question 2

Calculate the first three moments of a compound model.

### Question 3

When an individual is admitted to hospital, the distribution of charges incurred are as described in the following table:

charge	mean	standard deviation	
Room	1000	500	
other	500	300	

The covariance between room charges and other charges is 100,000. An insurer issues a policy which reimburses 100% for room charges and 80% for other charges. The number of hospital admissions has a Poisson distribution with parameter 4. Determine the mean and standard deviation for the insurer's payout on the policy.

### Question 4

An individual loss distribution is normal with mean 100 and standard deviation 35. The total number of losses *N* has the following distribution:

n	P(N=n)
0	0.4
1	0.3
2	0.2
3	0.1

What is the probability that the aggregate losses exceed 130?

## Question 5

Aggregate payments have a compound distribution. The frequency distribution is negative binomial with r = 16,  $\beta = 6$ . The severity distribution is uniform on the interval (0,8). Using a normal approximation, determine the premium such that there is a 5% probability that aggregate payments exceed the premium.

## Question 6

For a group health contract, aggregate claims are assumed to have an exponential distribution with mean  $\theta$  estimated by the group underwriter. Aggregate stop-loss insurance for total claims in excess of 125% of the expected claims, is provided for a premium of twice the expected stop-loss claims. It is discovered that the expected total claims value used was 10% too low. What is the loading percentage on the stop-loss policy under the true distribution?

## 9.4 Analytic Results

## Question 7

Calculate the probability density function of the aggregate loss distribution if claim frequency follows a negative binomial distribution with r = 2 and severity follows an exponential distribution.

## 9.4 Analytic Results

## Question 8

An insurance company models the number of claims it receives as a negative binomial distribution with parameters r=15 and  $\beta=2.4$ . The severity of each claim follows an exponential distribution with mean \$3,000. What is the net-premium for stop-loss insurance with an attachment point of \$204,000?

# 9.5 Computing the Aggregate Claims Distribution

## Question 9

Suppose that the total number of claims follows a negative binomial distribution with r=2 and  $\beta=3$ . Suppose that the severity of each claim (in thousands of dollars) follows a zero-truncated ETNB distribution with r=-0.6 and  $\beta=7$ . What is the probability that the aggregate loss is at most 3?

### **Theorem**

Suppose the severity distribution is a discrete distribution with probability function  $f_X(x)$  for  $x=0,1,\ldots,m$  (m could be infinite) and the frequency distribution is a member of the (a,b,1) class with probabilities  $p_k, k=0,1,2,\ldots$  satisfying  $p_k=\left(a+\frac{b}{k}\right)p_{k-1}$  for all  $k\geqslant 2$ .

Then the aggregate loss distribution is given by

$$f_{S}(x) = \frac{(p_{1} - (a+b)p_{0})f_{X}(x) + \sum_{y=1}^{x \wedge m} \left(a + \frac{by}{x}\right)f_{X}(y)f_{S}(x-y)}{1 - af_{X}(0)}$$

### Question 10

Let the number of claims follow a Poisson distibution with  $\lambda=2.4$  and the severity of each claim follow a negative binomial distribution with r=10 and  $\beta=2.3$ . What is the probability that the aggregate loss is at most 3?

### Question 11

An insurance company offers car insurance. The number of losses a driver experiences in a year follows a negative binomial random variable with r=0.2 and  $\beta=0.6$ . The size of each loss (in hundreds of dollars) is modelled as following a zero-truncated ETNB distribution with r=-0.6 and  $\beta=3$ . The policy has a deductible of \$1,000 per loss. What is the probability that the company has to pay out at least \$400 in a single year to a driver under such a policy?

#### Question 12

The number of claims an insurance company receives is modelled as a compound Poisson distribution with parameter  $\lambda=6$  for the primary distribution and  $\lambda=0.1$  for the secondary distribution. Claim severity (in thousands of dollars) is modelled as following a zero-truncated logarithmic distribution with parameter  $\beta=4$ . What is the probability that the total amount claimed is more than \$3,000.

## Question 13

The number of claims an insurance company receives is modelled as a Poisson distribution with parameter  $\lambda=96$ . The size of each claim is modelled as a zero-truncated negative binomial distribution with r=4 and  $\beta=2.2$ . Calculate the approximated distribution of the aggregate claims:

- (a) By starting the recursion at a value of k six standard deviations below the mean.
- (b) By solving for a rescaled Poisson distribution with  $\lambda=$  12 and convolving the solution up to 96.

## **Answer to Question 13**

## R-Code for (a)

## **Answer to Question 13**

## R-Code for (b)

```
ConvolveSelf<-function(n) {
  convolution <-vector ("numeric", 2*length (n))
  for(i in 1:(length(n))){
    convolution[i] \leftarrow sum (n[1:i] \starn[i:1])
  for(i in 1:(length(n))){
    convolution[2*length(n)+1-i]<-sum(n[length(n)+1-(1:i)]
        ]*n[length(n)+1-(i:1)])
  return (convolution)
d24<-ConvolveSelf(ans2)
d48<-ConvolveSelf(d24)
d96<-ConvolveSelf(d48)
plot (dist1, d96[241:2240])
```

## **Numerical Stability**

#### Question 14

If the primary distribution is binomial with n = 7 and p = 0.8, and the secondary distribution has probability mass function

$$f_X(x) = \begin{cases} 0.21 & \text{if } x = 0\\ 0.41 & \text{if } x = 1\\ 0 & \text{if } x = 2\\ 0.38 & \text{if } x = 3 \end{cases}$$

use the recurrence relation to compute the aggregate loss distribution.

# Constructing Arithmetic Distributions

## Question 15

Let X follow an exponential distribution with mean  $\theta$ . Approximate this with an arithmetic distribution (h = 1) using:

- (a) The method of rounding.
- (b) The method of local moment matching, matching 2 moments on each interval.

# 9.7 Individual Policy Modifications

### Question 16

The loss on a given policy is modelled as following an exponential distribution with mean 2,000. The number of losses follows a negative binomial distribution with parameters r=4 and  $\beta=2.1$ .

- (a) Calculate the distribution of the aggregate loss.
- (b) What effect would a deductible of \$500 have on this distribution?

# 9.7 Individual Policy Modifications

### Question 17

The loss on a given policy is modelled as following a gamma distribution with  $\alpha=3.4$  and  $\theta=2000$ . The number of losses an insurance company insures follows a Poisson distribution with  $\lambda=100$ . The company has taken out stop-loss insurance with a deductible of \$1,000,000. This insurance is priced at the expected payment on the policy plus one standard deviation.

- (a) How much does the company pay for this reinsurance?
- (b) How much should it pay if it introduces a \$1,000 deductible on these policies?

#### Question 18

In a group life insurance policy, a life insurance company insures 10,000 individuals at a given company. It classifies these workers in the following classes:

Type of worker	number	average annual	death			
		probability of dying	benefit			
Manual Laborer	4,622	0.01	\$100,000			
Administrator	3,540	0.002	\$90,000			
Manager	802	0.01	\$200,000			
Senior Manager	36	0.02	\$1,000,000			
What is the probability that the aggregate benefit paid out in a ve						

What is the probability that the aggregate benefit paid out in a year exceeds \$10,000,000?

### Question 19

Using the same data as in Question 18, estimate the probability by modelling the distribution of the aggregate risk as:

- (a) a normal distribution
- (b) a gamma distribution
- (c) a log-normal distribution

#### Question 20

Using the same data as in Question 18, estimate the probability using a compound Poisson approximation, setting the Poisson mean to:

- (a) equal the Bernoulli probability
- (b) match the probability of no loss

#### Question 21

An insurance company has the following portfolio of car insurance policies:

Type of driver	Number	Probability	mean	standard
		claim	of claim	deviation
Safe drivers	800	0.02	\$3,000	\$1,500
Average drivers	2100	0.05	\$4,000	\$1,600
Dangerous drivers	500	0.12	\$5,000	\$1,500
/ \				

- (a) Using a gamma approximation for the aggregate losses on this portfolio, calculate the cost of reinsuring losses above \$800,000, if the loading on the reinsurance premium is one standard deviation above the expected claim payment on the reinsurance policy.
- (b) How much does the premium change if we use a normal approximation?

### Question 22


An insurance company assumes that for smokers, the claim probability is 0.02, while for non-smokers, it is 0.01. A group of mutually independant lives has coverage of 1000 per life. The company assumes that 20% of lives are smokers. Based on this assumption, the premium is set equal to 110% of expected claims. If 30% of the lives are smokers, the probability that claims will exceed the premium is less than 0.2. Using a normal approximation, determine the minimum number of lives in the group.

#### Question 23

An insurance company is modeling claim severity. It collects the following data points:

325 692 1340 1784 1920 2503 3238 4054 5862 6304 6926 8210 9176 9984

By graphically comparing distribution functions, assess the appropriateness of a Pareto distribution for modeling this data. The MLE estimates for the parameters of the Pareto distribution are  $\alpha=934.25, \theta=4156615$ 




#### Question 24

For the data from Question 23:

325 692 1340 1784 1920 2503 3238 4054 5862 6304 6926 8210 9176 9984

Graphically compare density functions to assess the appropriateness of a Pareto distribution for modeling this data.




#### Question 25

For the data from Question 23:

325 692 1340 1784 1920 2503 3238 4054 5862 6304 6926 8210 9176 9984

By Graphing the differnce  $D(x) = F^*(x) - F_n(x)$ , assess the appropriateness of a Pareto distribution for modeling this data.




#### Question 26

For the data from Question 23:

325 692 1340 1784 1920 2503 3238 4054 5862 6304 6926 8210 9176 9984

Use a *p-p* plot to assess the appropriateness of a Pareto distribution for modeling this data.




#### Question 27


An insurance company is modelling a data set. It is considering 3 models, each with 1 parameter to be estimated. On the following slides are various diagnostic plots of the fit of each model.

Determine which model they should use for the data in the following situations. Justify your answers.

- (a) Which model should they choose if accurately estimating (right-hand) tail probabilities is most important?
- (b) The company is considering imposing a deductible, and therefore wants to model the distribution very accurately on small values of x.

## Models






#### Question 28


For each of the models on the following three slides, determine which of the statements below best describes the fit between the model and the data:

- The model distribution assigns too much probability to high values and too little probability to low values.
- The model distribution assigns too much probability to low values and too little probability to high values.
- The model distribution assigns too much probability to tail values and too little probability to central values.
- The model distribution assigns too much probability to central values and too little probability to tail values.


# Model I



## Model II



## Model III



0.0

0.4

0


2000

х

3000

#### Question 29


An insurance company wants to know whether an exponential distribution is a good fit for a sample of 40 claim severities. It estimates  $\theta = 5.609949$ , and draws the following p-p plot:



How many of the samples they collected were more than 10?

#### Question 30


An insurance company wants to know whether an exponential distribution is a good fit for a sample of 40 claim severities. It estimates  $\theta = 5.609949$ , and draws the following p-p plot:



How many of the samples they collected were less than 3?

#### Question 31

An insurance company wants to know whether a Pareto distribution with  $\theta = 15$  is a good fit for a sample of 30 claim severities. It estimates  $\alpha = 0.8725098$  and draws the following plot of D(x):



How many of the samples they collected were less than 10?

## Hypothesis Tests

We test the following hypotheses:

 $H_0$ : The data came from a population with the given model.

 $H_1$ : The data did not come from a population with the given model.

## Kolmogorov-Smirnov test

$$D = \max_{t \leq x \leq u} |F_n(x) - F(x)|$$

### Anderson-Darling test

$$A^{2} = n \int_{t}^{u} \frac{(F_{n}(x) - F(x))^{2}}{F(x)(1 - F(x))} f(x) dx$$

## Chi-square Goodness-of-fit test

- Divide the range into separate regions,  $t = c_0 < c_1 < \cdots < c_n = u$ .
- Let  $O_i$  be the number of samples in the interval  $[c_{i-1}, c_i)$ .
- Let  $E_i$  be the expected number of sample in the interval  $[c_{i-1}, c_i)$ .

$$X^2 = \sum_{i=1}^n \frac{(O_i - E_i)^2}{E_i}$$

#### Question 32

For the data from Question 23:

325 692 1340 1784 1920 2503 3238 4054 5862 6304 6926 8210 9176 9984

Test the goodness of fit of the model using:

- (a) The Kolmogorov-Smirnov test.
- (b) The Anderson-Darling test.

### **Answer to Question 32**

(b)
$$A^{2} = -nF^{*}(u) + \sum_{j=0}^{k} (1 - F_{n}(y_{j}))^{2} (\log(1 - F^{*}(y_{j})) - \log(1 - F^{*}(y_{j+1}))$$


$$+ n\sum_{j=0}^{k} F_{n}(y_{j})^{2} (\log(F^{*}(y_{j+1})) - \log(F^{*}(y_{j+1})))$$

+ 
$$n \sum_{j=1}^{n} F_n(y_j)^2 (\log(F^*(y_{j+1})) - \log(F^*(y_{j+1})))$$

X	$F_n(x)$	<i>F</i> *( <i>x</i> )	term	Х	$F_n(x)$	F*(x)	term
325	0.0714	0.0704	0.0748	4054	0.5714	0.5978	0.1407
692	0.1429	0.1440	0.1190	5862	0.6429	0.7320	0.0267
1340	0.2143	0.2600	0.0726	6304	0.7143	0.7573	0.0323
1784	0.2857	0.3303	0.0204	6926	0.7857	0.7889	0.0532
1920	0.3571	0.3504	0.0803	8210	0.8571	0.8417	0.0309
2503	0.4286	0.4302	0.0876	9176	0.9286	0.8726	0.0215
3238	0.5000	0.5169	0.0822	9984	1.0000	0.8937	0.1124

#### Question 33

Recall Question 27, where a company was deciding between three models. The D(x) plots are below:



If the company uses the Kolmogorov-Smirnov statistic to decide the best model, which will it choose?

#### Question 34

An insurance company records the following claim data:

Claim Amount	Frequency
0–5,000	742
5,000-10,000	1304
10,000-15,000	1022
15,000-20,000	830
20,000-25,000	211
More than 25,000	143

Use a Chi-square test to determine whether Claim size follows an exponential distribution. The best mean for the exponential distribution is  $\theta = 9543.586$ .

#### Likelihood Ratio test

The Likelihood ratio test compares two nested models —  $\mathcal{M}_0$  and  $\mathcal{M}_1$ .

### Hypotheses

*H*<sub>0</sub>: The simpler model describes the data as well as the more complicated model.

*H*<sub>1</sub>: The more complicated model describes the data better than the simpler model.

We compute the parameters from both models by maximum likelihood. The test statistic is.

$$2(I_{\mathcal{M}_1}(x;\theta_1) - I_{\mathcal{M}_0}(x;\theta_0))$$

Under  $H_0$ , for large n, this follows a Chi-square distribution with degrees of freedom equal to the difference in number of parameters.

#### Question 35

An insurance company observes the following sample of claim data:

382 596 920 1241 1358 1822 2010 2417 2773 3002 3631 4120 4692 5123

Use a likelihood ratio test to determine whether an exponential or a Weibull distribution fits this data better.

The maximum likelihood estimates for the Weibull distribution are  $\tau=1.695356$  and  $\theta=2729.417$ .

# Study note: Information Criteria

#### Basic Idea

- For natural measures of fit (log-likelihood, KS test statistic, AD test statistic, etc.) more complicated models produce better fit.
- This is (at least partly) because they are fitting noise in the data.
- We can compensate for this by adding a penalty term to penalise model complexity.

## Two Common Approaches

- Akaike Information Criterion (AIC):  $I(\theta; x) p$
- Schwarz Bayesian Criterion(SBC)/Bayesian Information Criterion (BIC):  $I(\theta; x) \frac{\rho}{2} \log(n)$

where p is the number of estimated parameters, and n is the sample size.



# Study note: Information Criteria

#### Question 36

Recall Question 35, where we had a sample

382 596 920 1241 1358 1822 2010 2417 2773 3002 3631 4120 4692 5123

for which the Weibull distribution has a log-likelihood of -120.7921. Use AIC and BIC to determine whether an inverse exponential distribution is a better fit for the data.

## 16.5 Selecting a Model

#### Comments on Model Selection

- Try to pick a model with as few parameters as possible. (Parsimony)
- Choice of model depends on the aspects that are important. Even
  if a formal test is used, the choice of which test depends on the
  aspects that are important.
- Aim is generalisability. The model should apply to future data.
   (Models which fit the given data well, but not new data are said to overfit.)
- Trying large numbers of models will lead to one which fits well just by chance.
- Experience is a valuable factor in deciding on a model.
- Sometimes knowledge of the underlying process may lead to a particular model (e.g. binomial).

## Types of Automobile-insurance coverage

- Liability insurance
- Medical Benefits
- Uninsured and underinsured motorist coverage
- Collision insurance
- Other than collision (OTC) insurance

#### **Notes**

- First two coverages often legally required.
- Other coverages may be required in order to use car as security for a loan.
- Policy usually covers policyholder and immediate family on listed vehicles. May also cover invited drivers.
- Covers listed vehicles and usually also attached trailers, etc.
- Other policies apply to commercial vehicles.

## Tort system

In this system, fault for an accident is legally determined through a court case, or settlement. At-fault party is legally responsible for all costs.

## No-fault system

Injured party is covered through their own insurance, with no need to determine fault for the accident. Many different details for how this system can work — e.g. threshold no-fault or government monopoly. Even in this system, determination of fault may be performed to determine future premiums.

### Question 37

What are the advantages and disadvantages of each system?

Answer to Question 37						
Advantages of tort system	Advantages of no-fault system					
Increases coverage costs for at- fault drivers, thus increasing the incentive to drive carefully.	Reduces litigation costs					
More flexibility to taylor payments to injured parties needs. Under no-fault system, benefits usually defined by a formula.	Evidence shows that under tort system, small claims are over-compensated, whereas larger claims are undercompensated.					

### Liability insurance

- Covers costs of policyholder's damage to third parties.
- Can cover legal costs of policyholder.
- Policy limits usually apply to damage payments, not legal costs.
- Insurer may however stop paying legal costs once its damage payments have already exceeded the policy limit.
- This insurance is compulsory almost everywhere, with minimum legal limits. It may be advisable to buy increased policy limits if these are low.
- Premiums vary with policy limits, location, use of automobile, driving record of policyholder, age, sex and marital status of the policyholder.

#### Medical benefits

- Sometimes called medical payments, personal injury protection or accident benefits.
- Covers costs (e.g. medical costs, income replacement, survivors benefits, rehabilitation costs, home care costs) arising from injury to policyholder (unless another party is liable).
- Usually compulsory
- May not apply to commercial vehicles where these benefits are covered by workers compensation.
- In tort juristictions, liability insurance is more important (and accounts for more of the costs). In no-fault juristictions, medical benefit insurance is more important, and accounts for more costs.

## Uninsured and underinsured motorist coverage

- Covers costs to policyholder if injured by:
  - an unidentified driver
  - an uninsured driver
  - an underinsured driver (if liable driver's coverage is lower than policyholder's)

#### Collision insurance and OTC insurance

- Cover damage to policyholder's vehicle.
- loss is defined as lesser of cash value of damaged property or cost to repair/replace. May include special provisions for cases where cash value (with depreciation) exceeds outstanding balance on a loan secured by the property.
- Usually include a deductible.
- In a tort juristiction, the insurer who pays the benefits can sue the at-fault driver. If the suit is successful, the insurer will reimburse the deductible to the policyholder, and use the rest to cover the payment. This is known as subrogation.
- Subrogation reduces the cost of collision insurance, and increases the cost of liability insurance.
- If the insurer decides not to sue, the policyholder can sue for their deductible, and any costs exceeding the policy limit.

### Collision insurance and OTC insurance (cont.)

- If vehicle is "written-off", the insurer has the right of salvage any scrap value of vehicle belongs to insurer. If scrap value exceeds amount paid, the insurer must increase its payment accordingly.
- Premiums for collision and OTC insurance depend on:
   Type of car (based on value of car and cost of repairs).

  - Use of car
  - Location.
  - Driver's history.
  - Where allowed by law: age, gender, marital status.
- OTC covers fire, weather, vandalism, stone chips, theft, etc.
- Usually excludes: war, terrorism, wear & tear, road damage to tyres, radioactive contamination, and collision.
- Comprehensive includes any cause not specifically excluded. Under specified perils, only a given list of causes are reimbursed.
- OTC premiums usually only vary by vehicle type and location.

## Four Coverages in Homeowner's Insurance

- Coverage A Damage to home
- Coverage B Damage to garage or other structures
- Coverage C Personal property in home
- Coverage D Living expenses and loss of rental income
- Section II Liability

#### **Doctrine of Proximate Cause**

- Coverage might be comprehensive or specified perils.
- Proximate cause is a legal definition of when one event can be considered to have caused another. The proximate cause must be directly linked to the damage by a chain of events without other independent causes.
- For a claim to be payable, an insured peril must be a proximate cause of an insured loss.

### Coverage A

- Includes a deductible (may decrease to zero for larger losses).
- Subrogation can apply here if a third party is liable for the damage.
- Policy limits less than 80% of the value of the house (at time of loss) result in coinsurance for smaller claims.
- Increases in house prices could result in a homeowner falling below the 80% cut-off by accident.
- Many insurers offer an option for the premium to increase annually in line with a specified index, and to waive the 80% requirement.

#### Question 38

A homeowner's house is valued at \$350,000. However, the home is insured only to a value of \$260,000. The insurer requires 80% coverage for full insurance. The home sustains \$70,000 of water damage due to a burst pipe. How much does the insurer reimburse? (There is no deductible for losses above \$2,000.)

## Coverage B — Garage

- Usually up to 10% value of house.
- More coverage can be purchased for extra premium.

## Coverage C — Personal Property

- Limit usually 40–50% of house value
- Often inside limits on each type of item.
- For full insurance on jewellry, silverware or art, policyholder can provide a schedule showing appraised values of these items. If lost or stolen, this appraised value is paid by insurer (not the current market value).
- Extends to borrowed property in policyholder's possession.
- Also applies to personal property lost or damaged outside the home.

### Coverage D — Accommodation and Loss of Rental Income

- Covers fair rental value for alternative accommodation while repairs are made to home.
- Also covers lost rental income from any part of the home that lost while damage is repaired.

## Section II — Liability

- Liability could arise if a third party is injured or property is damaged while on the property.
- Only applies in case of negligence by homeowner.
- Most claims settled out of court.
- Insurance will pay policyholder's defence costs unless liability payments already made exceed policy limits.
- Limited medical coverage for injured third-parties on a no-fault basis.

#### Comments on Homeowner's Insurance

- Premiums depend on location, construction and value.
- In high-risk areas for floods and earthquakes, these perils are often excluded.
- Coverage for these excluded perils can be purchased for an extra premium.
- Construction may affect the risk of various perils.
- Discounts may be offered for security systems or sprinkler systems, etc.

# 2.4 Tennants package

#### Tennant insurance

- Contains provisions of homeowners insurance relevant to tennants
- Includes personal possessions.
- Generally lower liability provisions for apartments because majority of liability arises from incidents on surrounding ground, covered by landlord's insurance.
- Different policies also available for condominium owners.

# 2.5 Workers' compensation

## Workers' Compensation

- Early type of no-fault insurance.
- Prior to 1895, getting compensation was difficult for employees.
- Objectives of Worker's Compensation:
  - Broad coverage of occupational illness and injury.
  - Protection against loss of income
  - Provide medical care and rehabilitation expenses
  - Encourage employers to provide safer workplaces.
  - Provide efficient and effective delivery of benefits.
- Workers' Compensation Board controlled by province.
- U.S. employers can choose private, self or state insurance.
- Employee must work in a covered occupation, and experience an accident or disease resulting from employment, while employed.
- Diseases develop slowly, generally more expensive, often subject to disagreements about extent to which they are caused by work.

# 2.5 Workers' compensation

## Typical Benefits

- Unlimited medical care benefits
- Disability income benefits, waiting period 3–7 days, percentage of salary, depending on degree of disability. Degree of disability is usually classified as:
  - Temporary but total
  - Permanent and total
  - Temporary and partial
  - or Permanent but partial
- Death benefits
- Rehabilitation benefits and services.
- Premiums depend on salaries of employees, industry class, etc.

### 2.6 Fire insurance

#### Fire insurance

- Included in homeowner insurance and tennants insurance.
- Policies provide protection for commercial properties.
- Originally only fire was an insured peril, but many more perils now covered, even some comprehensive policies.
- Covers both direct and indirect loss.
- Standard Fire Policy covers direct loss from fire and lightning.
- At least one additional form must be added. Common forms:
   Include personal coverage

  - Include commercial coverage
  - Increase covered perils (e.g. vandalism, malicious mischief, etc.)
  - Increase covered losses (e.g. living expenses, rental income, leasehold interests, demolition, business interruption losses)
- Allied lines are additional coverage sold in separate policies, e.g. earthquake, rain, sprinkler leakage, water damage, crop hail.
- Larger corporations may design own forms to meet specific needs.

### 2.7 Marine insurance

### Ocean Marine Insurance

- Covers oceangoing ships and cargo. Covers shipowner's liability.
- Basic policy only covers cargo while loaded onto ship.
- Some policies provide warehouse-to-warehouse coverage.

### Inland marine insurance

- A modification of marine insurance for the trucking industry.
- Covers transportation of goods by railway, motor vehicle, ship or barge on inland waterways (e.g. canals and rivers) or coastal trade, air, mail, armoured car or messenger.
- Also covers infrastructure for transportation bridges, tunnels, wharves, docks, communication equipment, moveable property.
- May have additional coverage for construction equipment, personal jewellry and furs, agricultural equipment, and animals.

## 2.8 Liability insurance

### Types of Liability Insurance

- Included by default in auto and homeowner's insurance.
- Product liability insurance
- Errors and omissions Insurance
- Medical malpractice insurance
- Professional liability insurance

### Features of Liability Insurance

- Low frequency high value claims.
- Claims often reported years after event.
- Claims often take many more years to settle after reporting.
- Claims-made policy form covers only claims after a specified date reported during policy period.
- Tail coverage sold to cover claims reported after the period.
- High litigation cost. Sometimes policy limit applies to legal costs.

## 2.9 Limits to Coverage— Deductibles

### Reasons for Using Deductibles

- Small claims involve disproportionate administrative costs.
- Premium savings.
- Moral hazard.
- Better expected utility.

### Problems with Deductibles

- Public relations.
- Marketing difficulties.
- Insureds may inflate claims to recover deductible.

### Types of Deductible

- Fixed dollar deductibles
- Fixed %age deductibles
- Disappearing deductibles

- Franchise deductibles
- Fixed dollar deductible per year
- Elimination period

## 2.9 Limits to Coverage—Policy Limits

### Reasons for Policy Limits

- Clarifies insurer's oblications
- Reduces risk to insurer, allowing lower premiums.
- Allows policyholder to choose appropriate coverage.

### Notes on policy limits

- Policy may have different policy limits for different parts of claim.
- May also have inner limits.
- Policy limits apply to damage payments only they do not include administrative and legal costs.

## 2.9 Limits to Coverage

### Question 39

An insurer sells 100 identical policies. Each policy has a 50% probability of incurring a loss. If a loss is incurred, the loss follows a Pareto distribution with  $\alpha=2$  and  $\theta=10000$ .

- (a) What is the probability that at least one policy incurs a single loss exceeding \$1,000,000?
- (b) If the insurer has a policy limit of \$100,000 on the policy, what is the probability that the aggregate loss exceeds \$1,000,000?

## 4.2 How outstanding claim payments arise

### Typical Steps in a Claim Payment

- Claim Event
- (a) Claim reported to agent. (b) Claim recorded by insurer.
- (a) Initial payments and settlement offer. (b) Settlement rejected.
- Court case.

### **Notes**

- Common for lengthy delays to occur between steps.
- Claims could remain open for 10–20 years.
- Time to settlement can vary a lot with line of insurance.
- Largest claims often settle last.

### Sources of Uncertainty

- Eventual cost of claim payments for known claims.
- Claims incurred but not yet reported.

### 4.3 Definition of terms

### Claim File

- Established as soon as field adjuster is aware of pending claim.
- Field adjuster estimates expected ultimate claim payment, and updates the estimate regularly.
- Aggregate of individual claim file estimates called case reserves.

### **Gross IBNR**

Additional reserves above case reserves, also called bulk reserve, including provision for:

- Adjustments of case reserves
- Claim files which are closed but may reopen.
- Claims incurred but not reported (IBNR).
- Claims reported but not recorded (RBNR).

### 4.3 Definition of terms

### Paid Loss Development

- Change in cumulative payments made between valuation dates called paid age-to-age loss development.
- Relative change called paid loss development factor. Can be less than 1 because of salvage and subrogation.
- Difference between cumulative payments made and ultimate payment amount called age-to-ultimate loss development.

### **Incurred Loss Development**

- Incurred age-to-age loss development: change in estimated costs.
- Incurred loss-development factor is relative change.
- Incurred loss-development factors can be less than 1 if estimates were conservative or because of salvage and subrogation.
   Incurred loss-development factors greater than 1 indicate inadequate claim file estimates.

### 4.3 Definition of terms

### Salvage and Subrogation

Recall that after paying a claim, insurance company acquires rights of salvage and subrogation (provided the money returned does not exceed the claim amount). These can reduce the incurred losses.

### Loss adjustment expenses

- Expenses involved with settling claims e.g. legal costs.
- Allocated loss adjustment expenses (ALAE) relate to specific claims. These become part of total claim cost.
- Unallocated loss adjustment expenses (ALAE) (e.g. rent) are allocated among calculated reserves following a formula.
- Classification can vary between insurers.

### Fast Track Reserves

High frequency, low severity lines of insurance use fast track average reserves based on recent experience and trends for new claim files.

### 4.4 Professional considerations

### Setting loss reserves requires detailed knowledge

- Company's business. For example any changes in
  - Portfolio composition.
  - Claim administration.
  - Management.
  - Reinsurance.
- External factors. For example
  - Inflation.
  - Legal rulings.
- Format and definitions of data used by company. For example, how are claims separated into claim files? Actuary should separate data into homogeneous categories. This may involve splitting separate parts of individual claims.
- The actuary must review accuracy of data and compare multiple methods for estimating reserves. Where methods give conflicting answers, actuary must explain differences.

## 4.5 Checking the data

### Checking for Inconsistencies.

- It is important to check for consistency of patterns accross the data.
- Where inconsistencies arise in the data, the actuary must identify the source of the inconsistency.
- Reserving actuary must document the findings and any ensuing adjustments or subjective changes to the calculations.

### **Expected Loss Ratio Method**

- Calculate the expected ultimate loss ratio (ultimate claim payments divided by total earned premiums).
- 2 Multiply be earned premiums for period.
- Subtract payments made to date.

### Problems with this approach

- Danger of manipulation of expected loss ratio.
- Expected loss ratio will not apply after changes of premium.
- Expected loss ratio might change if portfolio changes.

### Why is the method used?

- For new lines of business without past data, it may be the only available method.
- Can be used as a backup check for other methods.

### Question 40

An insurance company has three types of claims with different expected loss ratios as shown in the following table:

Claim Type	Policy	Earned	Expected	Losses paid
,	Year	Premiums	Loss Ratio	to date
	2014	\$200,000	0.79	\$130,000
Collision	2015	\$250,000	0.79	\$110,000
	2016	\$270,000	0.77	\$60,000
	2014	\$50,000	0.74	\$36,600
Comprehensive	2015	\$60,000	0.72	\$44,300
	2016	\$65,000	0.75	\$41,400
	2014	\$300,000	0.73	\$86,000
Bodily Injury	2015	\$500,000	0.73	\$85,000
	2016	\$600,000	0.72	\$12,000
	1 4! -		ا حملا ملام ممانلم	

Use the expected loss ratio method to estimate the loss reserves needed.

### Question 41

The following table shows the paid losses on claims from one line of business of an insurance company over the past 6 years.

		De	evelopme	ent year		
Accident year	0	1	2	3	4	5
2011	5,826	659	2,910	845	1,349	120
2012	7,327	2,896	1,540	963	-348	
2013	8,302	1,719	1,380	2,031		
2014	8,849	1,701	673			
2015	9,950	320				
2016	11,290					

Assume that all payments on claims arising from accidents in 2011 have now been settled. Estimate the future payments arising each year from open claims arising from accidents in each calendar year. (That is, fill in the empty cells in the table.)

### Answer to Question 41

We first construct the cumulative loss payments in the following table:

			p	.,						
Accident	Development year									
year	0	1	2	3	4	5				
2011	5,826	6,485	9,395	10,240	11,589	11,709				
2012	7,327	10,223	11,763	12,726	12,378					
2013	8,302	10,021	11,401	13,432						
2014	8,849	10,550	11,223							
2015	9,950	10,270								
2016	11,290									

## Answer to Question 41 The corresponding loss development factors are

The corresp	portaing	ioss dev	reiopinei	il lactors	sale				
Accident		Development year							
year	1/0	2/1	3/2	4/3	5/4				
2011	1.113	1.449	1.090	1.132	1.010				
2012	1.395	1.151	1.082	0.973					
2013	1.207	1.138	1.178						
2014	1.192	1.064							
2015	1.032								

Answer to	Questi	on 41					
The corresp	oonding	loss dev	elopme	nt factors	s are		
Accident		Deve	lopment	year			
year	1/0	2/1	3/2	4/3	5/4		
2011	1.113	1.449	1.090	1.132	1.010		
2012	1.395	1.151	1.082	0.973			
2013	1.207	1.138	1.178				
2014	1.192	1.064					
2015	1.032						

# 4.6 Loss reserving methods— Chain ladder or loss development triangle method

### **Approaches**

- Average
- 5-year average
- Mean weighted by claim payment amounts.

### Pros and Cons of Incurred Loss Triangles

- Incurred loss estimates represent the company's best estimate of losses, including information not reflected in paid loss data.
- Paid loss data are objective, incurred loss data are subjective.
- Incurred loss estimates react immediately to changes.

### Problems with chain ladder approach

- Too many parameters for the data.
- Unstable changes in methodology or a few large claims can have excessive influence on estimated reserves.

### Bornhuetter-Ferguson method

- Calculate the expected ultimate claim payments (using expected ultimate loss ratio times earned premiums)
- Calculate loss development factors using chain-ladder method
- Work backwards from expected ultimate payments using loss development factors to get expected loss development.

### Question 42

Recall Que	estion 4	1, wh	ere t	he ave	rag	e loss d	leve	lopment f	actors	were
Year		1/0		2/1		3/2		4/3	ļ	5/4
Average	1.187	962	1.20	00218	1.	11665	1.0	052196	1.0103	55
Suppose the	ne expe	ected	loss	ratio is	0.7	'2, and	the	earned p	remium	s are
Accident	Year	20	)12	20	13	201	14	2015	20	016
Earned P	rem.	180,0	000	205,00	00	210,00	00	220,000	270,	000
Use the Bo	rnhuet	ter Fe	ergus	son me	etho	od to ca	lcul	ate the lo	ss rese	rves
needed for	each a	accide	ent ye	ear.						

### Question 43

An actuary is reviewing the following loss development triangles:

No. of closed claims

Total paid losses on closed claims (000's)

Acc.	Dev	⁄elo	pme	nt Ye	ear	Ult.	Acc.		Devel	opmer	nt Year	
Year	0	1	2	3	4		Year	0	1	2	3	4
2012	250 3	335	370	395	400	400	2012	723	2,087	2,263	2,822	4,783
2013	280 3	885	400	450		460	2013	1,509	2,641	2,948	5,256	
2014	330 3	395	470			500	2014	1,745	3,214	3,754		
2015	320 4	160				540	2015	3,094	3,244			
2016	360					580	2016	2,824				

Calculate tables of percentage of claims closed and cumulative average losses.



Answ	er to (	Ques	stion	43							
perce	entage	of c	laims	close	ed	cumu	lative a	averag	e payn	nent pe	r claim
Acc.	De	velop	ment	t Year	ſ	Acc.		Deve	elopme	nt Year	
Year	0	1	2	3	4	Year	0	1	2	3	4
2012	62.5 8	3.8	92.5	98.8 1	00	2012	2,892	6,230	6,116	7,144	11,958
2013	60.98	33.7 8	37.0 9	97.8		2013	5,389	6,860	7,370	11,680	
2014	66.07	9.0 9	94.0			2014	5,288	8,137	7,987		
2015	59.38	35.2				2015	9,669	7,052			
2016	62.1					2016	7,844				

### Question 44

For the loss development triangles from Question 43:

Percentage of closed claims

Total paid losses on closed claims (000's)

Acc.	De	evelo	pmer	nt Yea	ar	Acc.		Devel	opmer	nt Year	
Year	0	1	2	3	4	Year	0	1	2	3	4
2012	62.5	83.8	92.5	98.8	100	2012	723	2,087	2,263	2,822	4,783
2013	60.9	83.7	87.0	97.8		2013	1,509	2,641	2,948	5,256	
2014	66.0	79.0	94.0			2014	1,745	3,214	3,754		
2015	59.3	85.2				2015	3,094	3,244			
2016	62.1					2016	2,824				
Adiust	t the t	otal	oaid I	osse	s to u	se the	curren	t dispo	osal ra	te.	

### Answer to Question 44

Acc.	Development Year								
Year	0	1	2	3	4				
2012	718	2,123	2,300	2,796	4,783				
2013	1,539	2,688	3,187	5,256					
2014	1,641	3,466	3,754						
2015	3,241	3,244							
2016	2,824								

### Notes on using separate frequency and severity

- Easier to see some patterns or trends.
- Can use this to adjust for different speeds of finalisation.
- Note that payments in this table represent payments made on closed files, and do not include partial payments on open files.
- When calculating the average, usually exclude claims on which no payment was made. If this is not possible, it is important to be consistent between different years.

### **Discounting Reserves**

- Discounting future payments is a basic actuarial principal.
- However, many juristictions forbid discounting loss reserves.
- One argument in support of this is that it incorporates a contingency loading in the reserves.
- On the other hand, it may be better to incorporate an additional contingency loading.
- Timing of payments needs to be considered.
- Often a final small reserve should be retained for claims that take an extremely long time to settle. Estimating the timing of this can be difficult.
- Investment management is more complicated, and tax issues also arise.

### Question 45

Recall that in Quesion 41 we calculated the following expected cumulative payments.

00	p = 1,								
Accident		Development year							
year	0	1	2	3	4	5			
2012					12378	12506			
2013				13432	14133	14279			
2014			11223	12532	13186	13323			
2015		10270	12326	13764	14483	14632			
2016	11290	13412	16097	17975	18913	19109			

Using a discount rate of 7%, calculate the expected reserves needed to cover these payments.

### Answer to Question 45

First we calculate the expected future payments in each year.

Aggidant		Day	, olonmo	nt voor		
Accident		Dev	elopme/	nii year		
year	0	1	2	3	4	5
2012						128
2013					701	146
2014				1309	654	137
2015			2056	1438	719	149
2016		2122	2685	1878	938	196

# Answer to Question 45 The discounted values of all expected future payments are:

Accident	Development year					
year	0	1	2	3	4	5
2012						119.63
2013					655.14	127.52
2014				1223.36	571.23	111.83
2015			1921.50	1256.00	586.92	113.67
2016	19	983.18	2345.18	1533.01	715.60	139.75

## Credibility Theory

### Example

- An insurance company offers group life insurance to all 372 employees of a company.
- The premium is set at \$1,000 per year.
- The company notices that the average annual total claim over the past 7 years is \$126,000 — Far lower than the total premiums charged.

The company contacts the insurers and asks for a reduction in premiums on the basis that premiums are much larger than the average claim.

- (a) Is this request reasonable?
- (b) What would be a fair reduction in premium?

### **Definition**

We assign full credibility to a policyholder's past history if we have sufficient data to use the policyholder's average claim for our premium estimate.

### Criterion for Full Credibility

Let  $\xi$  be the (unknown) expected claim from a policyholder. We pick  $r \geqslant 0$  and 0 . We assign full credibility to <math>X if

$$P(|\overline{X} - \xi| < r\xi) > p$$

That is if with probability p, the relative error of  $\overline{X}$  as an estimator for  $\xi$  is less than r.



### Question 46

### Recall our earlier example:

- An insurance company offers group life insurance to all 372 employees of a company.
- The premium is set at \$1,000 per year.
- The average annual total claim over the past 7 years is \$126,000.

Suppose that all policies have a death benefit of \$98,000, and deaths of each employee are independent.

- (a) Should the insurers assign full credibility to this experience? (Use r=0.05 and p=0.95.)
- (b) How many years of past history are necessary to assign full credibility?



### Question 47

Recall our earlier example:

- An insurance company offers group life insurance to all 372 employees of a company.
- The premium is set at \$1,000 per year.
- The average annual total claim over the past 7 years is \$1,260,000.

Suppose that all policies have a death benefit of \$98,000, and deaths of each employee are independent.

If the standard for full credibility is measured in terms of number of claims, instead of number of years, what standard is needed in this case, and how does the standard vary with number of years.

### Question 48

A car insurance company is reviewing claims from a particular brand of car. It finds that over the past 3 years:

- it has issued 41,876 annual policies for this type of car.
- The average annual aggregate claim per policy is \$962.14.
- The standard deviation of annual aggregate claim per policy is \$3,605.52
- (a) Should it assign full credibility to the historical data from this type of car?
- (b) How many policies would it need in order to assign full credibility?

## 17.4 Partial Credibility

### Question 49

Recall our original example:

- Group life insurance for 372 employees of a company.
- The premium is set at \$1,000 per year.
- The average annual total claim over the past 7 years is \$126,000.

All policies have a death benefit of \$98,000, and deaths of each employee are independent.

In Question 46, we determined that this was not sufficient to assign full credibility to the data, and that 1191.034 years of claims data would be needed for full credibility.

How much credibility should we assign to this data, and what should the resulting premium be?

## 17.4 Partial Credibility

### Question 50

For a particular insurance policy, the average claim is \$230, and the average claim frequency is 1.2 claims per year. A policyholder has enrolled in the policy for 10 years, and has made a total of 19 claims for a total of \$5,822. Calculate the new premium for this policyholder if the standards for full credibility are:

- (a) 421 claims for claim frequency, 1,240 claims for severity.
- (b) 1146 claims for claim frequency, 611 claims for severity.
- (c) 400 years for aggregate losses


#### **Problems**

- No theoretical justification.
- Need to choose r and p arbitrarily.
- Doesn't take into account uncertainty in the book premium.


### Question 51

An insurance company sells car insurance. The standard annual premium is \$1,261. A car manufacturer claims that a certain model of its cars is safer than other cars and should receive a lower premium. The insurance company has issued 3,722 policies for this model of car. The total aggregate claims on these polices were \$3,506,608. The variance of the annual aggregate claims on a policy is 8,240,268. Calculate the Credibility premium for different values of r and p.

#### R-code for Question 51



### Answer to Question 51



# 18 Greatest Accuracy Credibility

## **Assumptions**

- Each policyholder has a risk parameter ⊖, which is a random variable, but is assumed constant for that particular policyholder.
- Individual values of Θ can never be observed.
- The distribution of this risk parameter  $\Theta$  has density (or mass) function  $\pi(\theta)$ , which is known. (We will denote the distribution function  $\Pi(\theta)$ .)
- For a given value  $\Theta = \theta$ , the conditional density (or mass) of the loss distribution  $f_{X|\Theta}(x|\theta)$  is known.

# 18.2 Conditional Distributions and Expectation

## Conditional Distributions (revision)

$$f_{X|\Theta}(x|\theta) = \frac{f_{X,\Theta}(x,\theta)}{\int f_{X,\Theta}(y,\theta) \, dy}$$
$$f_{X|\Theta}(x|\theta) f_{\Theta}(\theta) = f_{\Theta|X}(\theta|x) f_{X}(x)$$

## Conditional Expectation (revision)

$$egin{aligned} \mathbb{E}(X) &= \mathbb{E}(\mathbb{E}(X|\Theta)) \ \mathsf{Var}(X) &= \mathbb{E}(\mathsf{Var}(X|\Theta)) + \mathsf{Var}(\mathbb{E}(X|\Theta)) \end{aligned}$$



## 18.2 Conditional Distributions and Expectation

#### Question 52

An insurance company models drivers as falling into two categories: frequent and infrequent. 75% of drivers fall into the frequent category. The number of claims made per year by a driver follows a Poisson distribution with parameter 0.4 for frequent drivers and 0.1 for infrequent drivers.

- (a) Calculate the expectation and variance of the number of claims in a year for a randomly chosen driver.
- (b) Calculate the expectation and variance of the number of claims in a year for a randomly chosen driver who made no claims in the previous year.

#### Question 53

The aggregate health claims (in a year) of an individual follows an inverse gamma distribution with  $\alpha=3$  and  $\theta$  varying between individuals. The distribution of  $\theta$  is a Gamma distribution with parameters  $\alpha=3$  and  $\theta=100$ .

- (a) Calculate the expected total health claims for a random individual.
- (b) If an individual's aggregate claims in two consecutive years are \$112 and \$240, calculate the expected aggregate claims in the third year.

#### Question 54

The number of claims made by an individual in a year follows a Poisson distribution with parameter  $\Lambda$ .  $\Lambda$  varies between individuals, and follows a Gamma distribution with  $\alpha = 0.5$  and  $\theta = 2$ .

- (a) Calculate the expected number of claims for a new policyholder.
- (b) Calculate the expected number of claims for a policyholder who has made m claims in the previous n years.

### Question 55

The number of claims made by an individual in a year follows a Poisson distribution with parameter  $\Lambda$ .  $\Lambda$  varies between individuals, and follows a Pareto distribution with  $\alpha=4$  and  $\theta=3$ . [This has mean 1 and variance 2, like the Gamma distribution from Question 54.] Calculate the expected number of claims for a policyholder who has made m claims in the previous n years.

An	Answer to Question 55										
		Pareto	Prior			Gamma Prior					
	1	2	3	4			1	2	3	4	
0	0.433	0.294	0.224	0.182		0	0.333	0.200	0.143	0.111	
1	0.926	0.607	0.458	0.369		1	1.000	0.600	0.429	0.333	
2	1.479	0.940	0.700	0.561		2	1.667	1.000	0.714	0.556	
3	2.087	1.289	0.951	0.758		3	2.333	1.400	1.000	0.778	
4	2.749	1.654	1.208	0.958		4	3.000	1.800	1.286	1.000	
5	3.457	2.034	1.472	1.163		5	3.667	2.200	1.571	1.222	
6	4.207	2.426	1.742	1.370		6	4.333	2.600	1.857	1.444	
7	4.992	2.829	2.018	1.581		7	5.000	3.000	2.143	1.667	
8	5.807	3.242	2.298	1.795		8	5.667	3.400	2.429	1.889	
9	6.648	3.664	2.583	2.011		9	6.333	3.800	2.714	2.111	

## Problems with Bayesian Approach

- Difficult to Compute.
- Sensitive to exact model specification.
- Difficult to perform model selection for the unobserved risk parameter Θ.

## Approach

 Credibility premium is a linear combination of book premium and personal history.

$$\alpha_0 + \sum_{i=1}^n \alpha_i X_i$$

Coefficients are chosen to minimise Mean Squared Error (MSE)

$$\mathbb{E}\left(\mu(\Theta) - \left(\alpha_0 + \sum_{i=1}^n \alpha_i X_i\right)\right)^2$$

### Question 56

Show that the solution which minimises the MSE satisfies:

$$\mathbb{E}(X_{n+1}) = \alpha_0 + \sum_{i=1}^n \alpha_i \mathbb{E}(X_i)$$

$$\mathsf{Cov}(X_i, X_{n+1}) = \sum_{j=1}^n \alpha_j \, \mathsf{Cov}(X_i, X_j)$$

### Question 57

Suppose the  $X_i$  all have the same mean, the variance of  $X_i$  is  $\sigma^2$ , and the covariance  $Cov(X_i, X_j) = \rho$ . Calculate the credibility estimate for  $X_{n+1}$ .

#### Question 58

Suppose we have observations  $X_1, \ldots, X_n$  and  $Y_1, \ldots, Y_m$ , which are the aggregate annual claims for each of two cars driven by an individual. We assume:

$$\mathbb{E}(X_i) = \mu$$

$$\mathbb{E}(Y_i) = \nu$$

$$\mathsf{Var}(X_i) = \sigma^2$$

$$\mathsf{Var}(Y_i) = \tau^2$$

$$\mathsf{Cov}(X_i, X_j) = \rho \quad \text{for } i \neq j$$

$$\mathsf{Cov}(Y_i, Y_j) = \zeta \quad \text{for } i \neq j$$

$$\mathsf{Cov}(X_i, Y_j) = \xi$$

Calculate the credibility estimate for  $X_{n+1} + Y_{m+1}$ .

## 18.5 The Buhlmann Model

## **Assumptions**

•  $X_1, \ldots, X_n$  are i.i.d. conditional on  $\Theta$ .

We then define:

$$\mu(\theta) = \mathbb{E}(X|\Theta = \theta)$$
  $\mu = \mathbb{E}(\mu(\Theta))$ 

$$u(\theta) = \operatorname{Var}(X|\Theta = \theta)$$
 $u = \mathbb{E}(\nu(\Theta))$ 
 $a = \operatorname{Var}(\mu(\Theta))$ 

#### Solution

$$\mathbb{E}(\pmb{\mathsf{X}}_i) = \mu \qquad \qquad \mathsf{Var}(\pmb{\mathsf{X}}_i) = 
u + \pmb{\mathsf{a}}$$
  $\mathsf{Cov}(\pmb{\mathsf{X}}_i,\pmb{\mathsf{X}}_i) = \pmb{\mathsf{a}}$ 

Recall from Question 57, that the solution to this is:

$$\hat{\mu} = \frac{\left(\frac{\nu}{a}\right)}{n + \left(\frac{\nu}{a}\right)} \mu + \frac{n}{n + \left(\frac{\nu}{a}\right)} \overline{X}$$

## 18.5 The Buhlmann Model

#### Question 59

An insurance company offers group health insurance to an employer. Over the past 5 years, the insurance company has provided 851 policies to employees. The aggregate claims from these policies are \$121,336. The usual premium for such a policy is \$326. The variance of hypothetical means is 23,804, and the expected process variance is 84,036. Calculate the credibility premium for employees of this employer.

## 18.5 The Buhlmann Model

#### Question 60

An insurance company offers car insurance. One policyholder has been insured for 10 years, and during that time, the policyholder's aggregate claims have been \$3,224. The book premium for this policyholder is \$990. The expected process variance is 732403 and the variance of hypothetical means is 28822. Calculate the credibility premium for this driver next year.

## 18.6 The Buhlmann-Straub Model

## **Assumptions**

• Each observation  $X_i$  (expressed as loss per exposure) has a (known) exposure  $m_i$ . The conditional variance of  $X_i$  is  $\frac{v(\theta)}{m_i}$ .

$$\mathsf{Cov}(X_i, X_j) = a$$
 $\mathsf{Var}(X_i) = \frac{v}{m_i} + a$ 

## Solution

$$\alpha_0 = \frac{\left(\frac{v}{a}\right)}{m + \frac{v}{a}}\mu$$

$$\hat{\mu} = \frac{\left(\frac{v}{a}\right)}{m + \frac{v}{a}}\mu + \frac{m}{m + \frac{v}{a}}\overline{X}$$

where 
$$\overline{X}$$
 is the weighted mean  $\sum_{i=1}^{n} \frac{m_i}{m} X_i$ .

September 1, 2022

 $\alpha_i = \frac{m_i}{m + \frac{v}{}}$ 

## 18.6 The Buhlmann-Straub Model

#### Question 61

For a group life insurance policy, the number of lives insured and the total aggregate claims for each of the past 5 years are shown in the following table:

Year	1	2	3	4	5
Lives insured	123	286	302	234	297
Agg. claims	0	\$300,000	\$200,000	\$200,000	\$300,000

The book rate for this policy premium is \$1,243 per life insured. The variance of hypothetical means is 120,384 and the expected process variance is 81,243,100. Calculate the credibility premium per life insured for the next year of the policy.

## 18.6 The Buhlmann-Straub Model

#### Question 62

A policyholder holds a landlord's insurance on a rental property. This policy is in effect while the property is rented out. The company has the following experience from this policy:

Year	1	2	3	4	5	6
Months rented	3	11	8	12	6	9
Agg. claims	0	\$10,000	0	0	\$4,000	0

The standard premium is \$600 per year for this policy. The variance of hypothetical means is 832076, and the expected process variance is 34280533 (both for annual claims). Calculate the credibility premium for the following year using the Buhlmann-Straub model.

## 18.7 Exact Credibility

### Question 63

Show that if the Bayes premium is a linear function of  $X_i$ , and the expectation and variance of X are defined, then the Bayes premium is equal to the credibility premium.

## 18.7 Exact Credibility

#### Question 64

Show that if the model distribution is from the linear exponential family, and the prior is the conjugate prior, with  $\frac{\pi(\theta_1)}{r'(\theta_1)} = \frac{\pi(\theta_0)}{r'(\theta_0)}$ , where  $\theta_0$  and  $\theta_1$  are the upper and lower bounds for  $\theta$ , then the Bayes premium is a linear function in X.

## 19 Empirical Bayes Parameter Estimation

## Approach

- Estimate the distribution of  $\Theta$  from the data.
- Use this estimate to calculate the credibility estimate of  $\mu$ .

### Two possibilities

Either: We do not have a good model for the conditional or prior distribution. We only need the variances, so we estimate them non-parametrically.

or: We have a parametric model, such as a Poisson distribution, which allows us to estimate the variance more efficiently (assuming the model is accurate).

#### Question 65

An insurance company has the following aggregate claims data on a new type of insurance policy:

No.	Year 1	Year 2	Year 3	Year 4	Year 5	Mean	Variance
1	336	0	528	0	0	172.80	60595.2
2	180	234	0	2,642	302	671.60	1225822.8
3	0	0	528	361	0	177.80	62760.2
4	443	729	1,165	0	840	635.40	192962.3
5	0	0	0	0	0	0.00	0.0
6	196	482	254	303	0	247.00	30505.0
7	927	0	884	741	604	633.60	140653.7
8	0	601	105	130	327	232.60	56385.3
7-\ <b>L</b>	11 1 - 11.				1 41-		

<sup>(</sup>a) Estimate the expected process variance and the variance of hypothetical means.

(b) Calculate the credibility premiums for each policyholder next year.

#### **Theorem**

Let  $X_1, \ldots, X_n$  have means  $M_1, \ldots, M_n$  respsectively. Let the  $M_i$  have mean  $\mu$ , and let  $X_i | M_1$  have variance  $\frac{\sigma^2}{m_i}$  where all  $m_i$  are known. Let  $m = \sum_{i=1}^n m_i$ .

We can obtain the following unbiassed estimators for  $\mu$  and  $\sigma^2$ :

$$\hat{\mu} = \frac{\sum_{i=1}^{n} m_i X_i}{m}$$

$$\hat{\sigma^2} = \frac{\sum_{i=1}^{n} m_i (X_i - \hat{\mu})^2}{n-1}$$

#### Question 66

Let  $X_1, \ldots, X_n$  all have mean  $\mu$ , and let  $X_i$  have variance  $\frac{\sigma_i^2}{m_i}$ , where all  $m_i$  are known, and let  $\sigma = \mathbb{E}(\sigma_i^2)$ . Let  $M_i$  have variance  $\tau^2$ . Let  $m = \sum_{i=1}^n m_i$ . Let  $m = \sum_{i=1}^n m_i$ .

Show that the following is an estimator for the Variance of Hypothetical Means:

$$\hat{\mu} = \frac{\sum_{i=1}^{n} m_i X_i}{m}$$

$$V\hat{H}M = \frac{\sum_{i=1}^{n} m_i (X_i - \hat{\mu})^2 - (n-1)\hat{\sigma}^2}{m - \frac{\sum_{i=1}^{m_i^2}}{m}}$$

### Question 67

An insurance company offers a group-life policy to 3 companies. These are the companies' exposures and aggregate claims (in millions) for the past 4 years:

Co.		Year 1	Year 2	Year 3	Year 4	Total
-1	Ехр	769	928	880	1,046	3,623
1	Claims	1.3	1.5	0.8	1.7	5.3
2	Ехр	1,430	1,207	949	1,322	4,908
	Claims	1.0	0.9	0.6	1.5	4.0
3	Ехр	942	1,485	2,031	1,704	6,162
	Claims	1.1	1.4	1.9	2.0	6.4

Calculate the credibility premiums per life for each company in the fifth year.

#### Question 68

In a particular year, an insurance company observes the following claim frequencies:

No. of Claims	Frequency
0	3951
1	1406
2	740
3	97
4	13
5	3

Assuming the number of claims an individual makes follows a Poisson distribution, calculate the credibility estimate for number of claims for an individual who has made 6 claims in the past 3 years.

#### Question 69

Assume annual claims from one policyholder follow a Poisson distribution with mean  $\Lambda$ . The last 4 years of claims data are:

Claims	0	1	2	3	4	5	6	7	8	9
1 year	3951	1406	740	97	13	3	0	0	0	0
2 years	3628	2807	1023	461	104	13	4	0	1	0
3 years	2967	4032	2214	890	734	215	131	22	0	2
4 years	1460	2828	2204	985	747	358	194	43	8	0

Calculate the credibility estimate of  $\Lambda$  for an individual who made 2 claims in the last 3 years of coverage.

#### Question 70

Claim frequency in a year for an individual follows a Poisson with parameter  $\Lambda t$  where  $\Lambda$  is the individual's risk factor and t is the individual's exposure in that year. An insurance company collects the following data:

Policy-	Year 1		Year 2		Ye	ear 3	Year 4	
holder	Exp	claims	Exp	claims	Exp	claims	Ехр	claims
1	45	12	10	6	45	14	14	2
2	27	0	12	0	74	0	27	0
3	10	9	293	149	14	6	13	5
4	10	0	14	3	17	2	6	2

In year 5, policyholder 3 has 64 units of exposure. Calculate the credibility estimate for claim frequency for policyholder 3.

### Question 71

An insurer is reviewing aggregate claims data from last year. It assumes that average aggregate claims for an individual follows an exponential distribution with parameter varying between individuals. The insurer has data from 1000 policyholders and finds that the average aggregate claim is \$689 and the standard deviation is \$832. What is the credibility premium for an individual who claimed \$462 last year?

# 3.2 Objectives of ratemaking

## Strict Requirements

- Cover expected losses and expenses.
- Make adequate provision for contingencies.
- Encourage loss control.
- Satisfy regulators.

## Desirable Objectives

- Remain reasonably stable.
- Respond to changes.
- Be easy to understand.

## 3.3 Frequency and severity

## Components needed to calculate rates

- Claim frequency distribution
- Loss distribution
- Interest rate
- Times of payments.

## Sources of Uncertainty

- For life contingencies, loss is usually specified, so the main sources of uncertainty are claim frequency, interest rate and times of payment.
- For property or casualty insurance, claim frequency distribution and loss distribution are important sources of uncertainty.
- For lines of insurance where settlement can take a long time (e.g. liability insurance), time of payment and rate of interest can be a source of uncertainty.

# 3.4 Data for ratemaking— Three Ways to Record Data

#### **Accident Year**

- All payments are recorded under the year when the loss occurred.
- Data first becomes available on 31st December of that year.
- Data originally consists of paid loss amounts plus loss reserves.
- Data are updated as claims are settled.

## Policy Year

- Payments recorded under the year when policy came into force.
- Data first available on 31st December of the following year.
- Data originally consists of paid loss amounts plus loss reserves.
- Has the advantage of being under the same policy basis.

### Calendar Year

- Payments recorded under the year when the payment is made.
- Includes changes to loss reserves.
- Advantage is that it is finalised immediately.

## 3.5 Premium data

## Question 72

A home insurance policyholder pays \$640 annual premium on 1st October 2015. What is the earned premium from this policy in

- (a) 2015
- (b) 2016

# 3.6 The exposure unit

## **Exposure Unit**

- Measure of how exposed to loss the policy is.
- Premium calculated as (units of exposure) × (rate per unit)
- Examples include car-years, house value, payroll.

## Good exposure units should

- Accurately measure exposure to loss
- Be easy to determine (at time of premium calculation)
- Be unable to be manipulated
- Be easy to administer
- Be easy for policyholder to understand.
- Automatically adjust with inflation.



# 3.7 The expected effective period

### Question 73

An actuary is reveiwing claims data from accident year 2016 to calculate premiums for policy year 2018. She finds that the expected number of claims per unit of exposure is 0.003, and the expected claim value per claim in accident year 2016 was \$26,000. Payments are subject to an annual inflation rate of 3%. What pure premium should she set for 2018?

# 3.8 Ingredients of ratemaking

# Loss-Development Factors

- Work with incurred lossed (include estimated loss reserves)
- Adjust data to reduce impact of large losses.

### **Trend Factors**

- Adjust expected premiums to future payment periods.
- Cover inflation, changes to court rulings, technical advances, etc.
- Usually estimated using least-squares (linear or non-linear) regression.
- Regression may be applied separately to frequency and severity, or to aggregate losses.
- Actuary may choose to assign more weight to more recent data.
- Should take into account external factors.
- Trends in premium can help estimate loss ratio method.

# 3.8 Ingredients of ratemaking

## **Expenses**

- Usually divided between Loss Adjustment Expenses (LAE) and other expenses
- LAE are divided into allocated (ALAE) and unallocated (ULAE).
- Sometimes separate between expenses which are proportional to gross premiums and expenses proportional to exposure.

# Loading for Profit and Contingencies

- Loading can be implicit or explicit (usually a percentage of gross premium).
- Implicit approach historically calculated by underestimating investment returns.
- Competition should prevent loading being too much.



## Overall Rate Change

- Loss cost method: New average gross rate =  $\frac{\text{New Average Loss Cost}}{1-\text{Expense Ratio}}$
- Loss ratio method: Rate Change =  $\frac{\text{Expected Effective Loss Ratio}}{\text{Permissible Loss Ratio}} 1$

## Risk Classification Differential Changes

 Rate manual consists of rate for base cell, and for each variable, a vector of differentials — multiplicative factors.

#### Question 74

An insurer has three classes of risk - low, medium and high. Its experience from the previous year is shown in the table below.


Risk Class	Current differential	Earned premiums	Loss payments	
Low	0.74	1,300	1,100	
Medium	1	4,300	3,900	
High	1.46	1,600	1,400	
Calculate the new differentials for the coming year.				

## Question 75

An insurer received earned premiums of \$1,700,000 in 2018 for a particular line of insurance. The total loss payments were \$1,520,000. There were rate changes on 1st October 2017 and on 1st August 2018. The premiums were as follows:

Before October 2017 \$432 October 2017 – July 2018 \$464 From August 2018 \$491

Assuming that policy dates are uniformly distributed over the years, calculate a new rate for policy year 2020 to achieve a loss ratio of 80%, assuming annual inflation of 4%.



### Question 76

An insurer has two risk variables — sex and risk level. Its current base rate is \$46.30 per unit of exposure. Its expense ratio is 20%. Its experience from the previous year is shown in the table below.

Earned Premiums				Loss Payments		
		Male	Female		Male	Female
Differential		1	0.88		1	0.88
Low	0.74	900	1,100		1,050	850
Medium	1	4,700	4,400		4,100	3,900
High	1.46	1,900	1,400		1,200	1,100
Coloulate the new rates for the coming year						

Calculate the new rates for the coming year.

# 5.1 Individual risk rating plans

## Experience rating

- Policyholder premium is credibility average of policyholder's experience and risk class rate.
- Usually set upper bound on impact of policyholder's experience.

## Schedule rating

- Minor changes to premiums based on e.g. installing burglar alarms.
- Usually limits set on amount each item can affect premium, and overall limits for all discounts or surcharges.

## Retrospective rating

- Premium is retroactively changed by payment of a dividend depending on individuals losses and losses from their risk class.
- Often amount of dividend is only known years afterward, once all claims are settled.

#### Increased limits factors

- Relative increase in premium caused by increasing policy limit.
- Several difficulties in estimating ILF:
  - Loss development factors increase with policy limit.
  - Trend factors tend to increase with policy limit.
  - Risk to insurer increases faster than expected claim.
  - Some expenses are fixed; some vary with premium; some vary with policy size.
- Historical policy limits affect the data in several ways:
  - Insurance company records generally censor data at policy limits.
  - Limit can impact settlement amounts e.g. lawyers might aim for policy limit.
  - Adverse selection
- These data issues can be mitigated by only considering policies with limits at least as high as the limit under consideration, provided there is sufficient data.

### Question 77

An insurance company has the following data on its policies:

Policy limit	Losses Limited to				
	50,000	100,000	500,000	1,000,000	
50,000	10,000				
100,000	34,000	41,000			
500,000	23,000	26,000	31,000		
1,000,000	11,000	12,300	13,400	17,000	
Llaa thia data	to coloud	oto the II C	^		

Use this data to calculate the ILFs.

## Loss Development

- Loss development factors tend to be larger for larger claims.
- They should be estimated from datasets with a single limit.

#### **Trend Factors**

- Lower policy limits reduce the effects of inflation.
- Different trend factors should be calculated for each policy limit.
- For higher policy limits, the larger variance and smaller data set can mean estimates are not credible, so data from other policy limits may need to be used.

#### Risk

- Higher policy limits increase risk more than premium.
- Typically risk load should be increased to compensate for this increased risk.

### Question 78

For a certain line of insurance, the loss amount per claim follows an exponential distribution with mean  $a\theta$ , where a is the exposure. The policy has a limit I, which is currently set at  $5\theta$  per unit of exposure. Losses increase by an inflation rate of 10%. Calculate the percentage increase in expected total payments per claim.

### Question 79

An insurance company models the number of claims on its policies as following a Poisson distribution with parameter  $\lambda=100$ . Losses follow a Pareto distribution with  $\alpha=3$  and  $\theta=10,000$ . The policies have a policy limit per claim of \$50,000. The insurer models aggregate losses as following a normal distribution, and sets its total premiums at the 95th percentile of the agregate loss distribution.

- (a) Calculate the current risk loading as a percentage of the gross rate.
- (b) Calculate risk loading as a percentage of the gross rate if the company increases the policy limit to \$100,000 per claim.

### Question 80

An insurance company charges a risk charge equal to the square of the average loss amount, divided by 50,000. It has the following data on a set of claims from policies with limit \$1,000,000.

Interval	No. of claims	Total claimed
(0, 10, 000]	2,300	6,850,000
(10,000,100,000]	900	13,600,000
(100,000,500,000]	140	19,400,000
(500,000,1,000,000]	25	18,600,000

Calculate the ILF from \$100,000 to \$500,000, and to \$1,000,000.

## Expenses

- Expenses tend to be subdivided into fixed costs and costs that vary.
- Some expenses are proportional to premium, other variable expenses will increase non-linearly with premium, e.g. adjustment expenses.

## **Loss Distributions**

- Parametric loss distributions make calculating ILFs easier.
- To fit parametric distributions case reserves should be used for open claims, because time to settlement is not independent of loss size.
- Case reserves from very recent claims can be subjective, so it is often a good idea to ignore data from most recent years.

# Why Reinsurance?

- Insurer's exposure is too concentrated (e.g. geographically) leaving insurer vulnerable to catastrophe.
- Insurer has limited ability to absorb large losses.
- Insurer has financial difficulties.
- Insurer wants to increase stability.
- Insurer wants to exit a line of business.

## Types of Reinsurance

- Excess of Loss if a single loss exceeds the attachment point reinsurer will pay the excess (up to a limit).
- Stop-loss like excess of loss for portfolio. Attachment point and limit often defined in terms of loss ratio.
- Quota share proportional reinsurance.
- Catastrophe cover like stop-loss, but relating to losses from a single event (e.g. earthquake, hurricane).

### **Question 81**

An insurance company models its aggregate losses as following an exponential distribution. It can buy stop-loss reinsurance for a loading of 100% of the expected claim. The insurance company sets its premium so that total premiums equal the mean plus one standard deviation of aggregate payments. Find the attachment point for reinsurance that minimises the insurer's premiums.

#### Notes on Reinsurance

• For proportional reinsurance, reinsurer pays ceding commission to cover the ceding company's expense costs. Otherwise the ceding company's expense loading would be too high.

## Ratemaking for Reinsurance

- Treaties on risk-exposed basis (covers losses during time period) or risk-attaching basis (covers policies written during time period).
- Premium based on ceding company's earned premium for risk-exposed treaties, paid premium for risk-attaching treaties.
- Pricing may be by exposure rating (based on industry averages) or experience rating (based on ceding company's experience).
- For excess-of-loss reinsurance, ILFs can be used to calculate expected losses.
- Simulation is important to estimate variability in losses.
- Catastrophe cover priced using long experience period and catastrophe models incorporating meteorological, seismic and engineering data, to assess the likely impact of catastrophes.
- Catastrophe cover is high risk. This is reflected by high loading for profit and contingencies.

## Loss Reserving for Reinsurance

- Delays in payment generally longer, because reinsurer deals with larger policies and because of the delay in notifying the reinsurer.
- Common clause for excess-of-loss reinsurance: reinsurer notified when incurred loss estimates exceed 50% of attachment point.
- Ceding company must publish direct (without reinsurance) and net reserves. Ceding company legally responsible for claim payments even if it cannot collect its payments from the reinsurer.
- Usually company calculates, direct, net and ceded reserves to compare the approaches and remove inconsistencies.
- Reinsurer will usually group by treaty type and coverage type.
   May also group by attachment point.
- Catastrophes are known about quickly after the event, but the total reinsured losses will often take a long time to assess. The sudden demand for repairs, etc. can cause inflation in claim costs.